The Bryologist 105(4), pp. 733–744
Copyright © 2002 by the American Bryological and Lichenological Society, Inc.

Index to Volume 105 of The Bryologist

DAVID M. LANE
Biological Sciences Library, Kendall Hall, University of New Hampshire, 129 Main St., Durham, NH 03824-3590, U.S.A.

EMILY L. POWOROZNEK
Engineering, Mathematics, and Computer Science Library, Kingsbury Hall, University of New Hampshire, 33 College Rd., Durham, NH 03824-3591, U.S.A.

This index includes all authors and all scientific names of plants under study. Taxa listed in checklists are not included to avoid complete duplication of the checklists in the index. The format of previous indexes is retained for continuity: new scientific names and combinations are in boldface, page numbers of synonyms are in italics, taxa mentioned several times in an article are indicated by a plus sign (+) after the page number, and illustrations are indicated by an asterisk (*). In addition, maps are indicated by a small "m." Checklists and keys are grouped under the entries "Checklist" and "Key." Lichen substances and selected keywords in the titles and text of articles are also included.

We welcome all comments and suggestions. Please send them to david.lane@unh.edu.

2-methoxy-6-prenylhydroquinone (Plagiochila), 191+
2,3,5-trimethoxy-9,10-dihydrophenanthrene, 364+
2′-*O*-methylphysodic acid (Hypogymnia), 470
3-hydroxy-4′-methoxybibenzyl (Plagiochila), 191+
3-hydroxy-physodic acid (Hypogymnia), 470
3,5-dimethoxy-9,10-dihydrophenanthren-2-ol, 364+
3,7-dimethoxy-9,10-dihydrophenanthren-2-ol, 364+
3,7-dimethoxy-9,10-dihydrophenanthren-4-ol, 364+
3′-RACE, 178
4-hydroxy-3′-methoxybibenzyl (Plagiochila), 191+
5′-RACE, 178
5-7-dichloro-2,8-dihydroxy-1,3-dimethylxanthone (Rinodina), 668
5-7-dichloro-8-hydroxy-2-methoxy-1,3-dimethylxanthone (Rinodina), 668

Abscisic acid and gene expression (Tortula ruralis), 180+
Acacia elata (bryophytes and lichens), 17; spp. (bryophytes and lichens), 15
ACHARIUS, ERIK, 70+
Achrophyllum dentatum, 24
ACKERMAN, ILSE LIEVE. *See* ZARTMAN, CHARLES EUGENE, 267+
Acrocladium auriculatum, 312+
Acrolejeunea securifolia, 24
Acromastigum exiguatum, 24
Adak Island, Alaska (lichens), 114+
Addendum (Hypogymnia), 507
Addendum: The Hepaticae of Easter Island (Chile), 299
Africa (Leucoloma), 509+
Agrestia hispida, 31
Air pollutant effects (Parmelia sucata), 104+
Air pollution levels (algal layer in lichens), 104+
Air quality (lichens), 73, 111
Air temperature (edge-interior gradient), 49+
Alaska Maritime Wildlife Refuge (lichens), 111+
Aldabra (lichens, atoll in Indian Ocean), 473+m
Aldehyde dehydrogenase homologue (Tortula ruralis), 177+
ALDH21 (Tortula ruralis), 177
ALDH7A1 (Homo sapiens), 178
ALDH7A2 (Caenorhabditis elegans), 178
ALDH7B1 (Pisum sativum), 178
ALDH7B3 (Brassica napus), 178
ALDH7B4 (Arabidopsis thaliana), 178
ALDH7B5 (Malus domestica), 178
ALDH7B6 (Tortula ruralis), 177+
Aldh7B6 cDNA (Tortula ruralis), 177+
Alectoria (functional group), 676+; nigricans, 119; ochroleuca, 119; sarmentosa, 51
Alectorialic acid, 125
Algal layer ratio (Parmelia sulcata), 104+
Algal layer thickness (Parmelia sulcata), 104+
Algal-cyanobacterial crust (substrate), 250+
ALLEN, BRUCE, RONALD A. PURSELL, and WILLIAM R. BUCK. Recent Literature on Bryophytes—105(3), 490+
ALLEN, BRUCE. *See* BUCK, WILLIAM R., 154+
ALLEN, BRUCE. *See* BUCK, WILLIAM R., 276+
ALLEN, BRUCE. *See* BUCK, WILLIAM R., 713+
Allocational biology (mosses), 205+
Alloocimene, 364+
α-terpinene (Plagiochila), 191+
Alpine sites (lichens), 29+
Amazonia, central (Vitalianthus), 267+
Amazonian rainforest (Fissidens), 185+
Amblystegium fluviatile, 312+
AMTOFT, ANJA. Pyxine subcinerea in the Eastern United States, 270+m
Amylora, 223
Anastreptene (Plagiochila), 191+
ANCOVA (Dicranum), 390+
Andes (Sphaerolejeunea), 422+
Angiocarpous lichens, 75
Annuals, winter (iron mine tailings), 253
ANOSIM, 13+
Anoxia (Jungermannia exsertifolia subsp. cordifolia), 86+
Ant mounds, 186
Antheridia (moss phenology), 206+
Anthoceros laevis, 24
Anthocerotaceae spec., 126
APTROOT, ANDRÉ. *See* SEAWARD, MARK R. D., 473+
Archegonia (moss phenology), 206+
Archidium, *260*
Arctic species (Fuscopannaria), 465+
Arctic-alpine lichens, 119
Argopsin (Biatora printzenii), 123
Arizona (element accumulation in lichens), 415+
Arnell (moss phenology), 205
Arthonia destruens, 301
Arthonia sp., 51; **tetraspora sp. nov.**, 306+m*
ARUP, ULF. *See* KÄRNEFELT, INGVAR, 301+
Ascaridole (Plagiochila), 191+
Aspicilia caesiocinerea, 31; filiformis, 31
Association analysis, 250+
Atranorin (Hypogymnia), 470
Atranorin (Lecanora ramulicola), 63+
Atranorin (Rinodina), 652+

0007-2745/02/733–744$1.35/0

Attu Island, Alaska (lichens), 114+
Australia, eastern (bryophyte and lichen diversity), 11+
Auxin transport (Pellia), 407+
AY034889, 178

Babington, Charles C., 72
Bacidia spp., 25
Badimia, 59
Badimiella, 59
Baeomyces rufus, 31
Balantiopsaceae (Isotachis), 693+
Barbula australasiae, 24; calycina, 25
Bardunovia, 325; baicalensis, *312*+
Bark pH, 40
Barubria, 59
Bazzania involuta, 24
Beattie, Andrew J. *See* Pharo, Emma J., 11+
Beaucourt, Nathalie. *See* Martínez-Abaigar, Javier, 86+
Belknap, Jayne, and Otto L. Lange. Biological Soil Crusts: Structure, Function, and Management [review], 500+
Bellolio, Gilda, 126+
Beltraminia-type spore development (Rinodina), 665*
Bennet (moss phenology), 206
Bennett, James P. Algal Layer Ratios as Indicators of Air Pollutant Effects in Parmelia sulcata, 104+
Bennett, James P. [Review of:] Hesse, Volker. Epiphytic lichen diversity and its dependence on chemical site factors in differently elevated dieback-affected spruce stands of the Harz Mountains, 730
Bennett, James P. *See* Eversman, Sharon, 27+*m
Benson, Shelly and Darwyn S. Coxson. Lichen Colonization and Gap Structure in Wet-temperate Rainforests of Northern Interior British Columbia, 673+
Berryman, Shanti. *See* McCune, Bruce, 439+
β-phellandrene (Plagiochila), 191+
Biatora alborufidula, 123; efflorescens, 51, 123; fallax, 123; flavopunctata, 68; glebulosa, *83*; longispora, 123; **printzenii sp. nov.**, 122+*; rufidula, 51; subgilva, 123
Biatora-type asci (Lecanora ramulicola), 63+
Bicyclogermacrene, 364+
Bicyclogermacrene (Plagiochila), 191+
Biennials (iron mine tailings), 253
Biogeography (Grimmia teretinervis), 262+
Biogeography (Vitalianthus), 269
Bioindicator of eutrophication (Jungermannia exsertifolia subsp. cordifolia), 91+
Biomass (Usnea longissima), 235+
Biomass allocation pattern (Dicranum), 388+
Biotic crusts (Trapeliopsis), 78
Bisang, Irene and Johan Ehrlén. Reproductive Effort and Cost of Sexual Reproduction in Female Dicranum polysetum, 384+
BLAST search (Trapeliopsis), 78+
BLASTN (Tortula ruralis), 178
Bole epiphytes, 451+
Bolivia (Fissidens), 185+
Bootstrap analyses (Pseudocyphellaria), 3+
Boreal lichens, 119
Borrer, William, 70+*
Borrera, 70
Borreria, 70
Botanical Society of Edinburgh, 70
Botanist's Guide, The, 73
Brachythecium rutabulum, 24
Branching patterns (Leucoloma), 515*
Brazil (Fissidens), 185+
Brazil (Vitalianthus), 267+
Breuss, Othmar. The Lichen Genus Henrica (Verrucariaceae) New to America, 398+
British Columbia (lichen), 673+
British Flora, 72
British lichenology, 70+
Brodo, Irwin M., Sylvia Duran Sharnoff, and Stephen Sharnoff. Lichens of North America [review], 498+
Brodo, Irwin M., Sylvia Duran Sharnoff, and Stephen Sharnoff. Lichens of North America [review], 499+
Bryocaulon divergens, 119
Bryophytes (mine tailings), 249+
Bryoria (functional group), 676+
Bryoria americana, 50+; capillaris, 50+; fremontii, 41, 50+; 50+; fuscescens, 31*, 50+; implexa, 50+; lanestris, 31; nitidula, 119; spp. (size and distribution), 49+
Bryum balticum, 128+; barnesii, 128+*m; bicolor, 128+*m; bicolor complex, 128+m; billardieri, 25; caespiticium, 129; campylothecium, 24; capillare, 137; crassum, 24; dichotomum, 129+; dunense, 128+*m; gemmiferum, 128+*m; gemmilucens, 128+*m; occidentale, 137; pallescens, 137; pseudotriquetrum, 137; rubens, 24; sp. A, 24; spp., 258; versicolor, 128+
Buck, William R., Bruce Allen and Ronald A. Pursell. Recent Literature on Bryophytes—105(2), 276+
Buck, William R., Bruce Allen, and Ronald A. Pursell. Recent Literature on Bryophytes—105(4), 713+
Buck, William R., Ronald A. Pursell, and Bruce Allen. Recent Literature on Bryophytes—105(1), 154+
Buck, William R. *See* Allen, Bruce, 490+
Buck, William R. *See* Ochyra, Ryszard, 641+
Bud formation (Bryum spp.), 137
Buellia griseovirens, 51; sp. A, 25; stellulata, 25
Bulbils (Bryum bicolor complex), 137+
Burial (peatland moss response), 97+
Burned soil (lichens), 40
Burned wood (lichens), 40
Byssoloma, 59; leucoblepharum, 25; lueckingii, 61; subdiscoidans, 25

Calcareous geology (Fissidens hyalinus), 43+
Calcareous rock (Grimmia teretinervis), 262+
Calcium oxalate crystals (Rimularia spp.), 221+
Calicioid lichen (Chaenotheca), 353+
Calicium (Yellowstone National Park), 40
California (Grimmia nevadense), 273
Calliergon cordifolium, 312+
Calliergonella lindbergii, 312+
Calopadia, 59+
Calopadiopsis, gen. nov., 58+; **tayabasensis comb. nov.**, 58+
Caloplaca chilensis sp. nov., 302+; epithallina, 31; **gyalectoides sp. nov.**, 302+m*
Calymperaceae (termite structure substrate), 186
Camacho, Francisco. *See* McCune, Bruce, 78+
Camptochaete arbuscula, 25
Campylidia, 57+
Campylopus introflexus, 25; pyriformis, 24
Canary Islands (Plagiochila), 363+
Candelariella vitellina, 31
Cao, Tong. *See* Gao, Chien, 693+
Caprocks (Fissidens hyalinus), 43+
Cárdenas S., Ángeles. *See* Delgadillo M., Claudio, 327+
Carotenoids (Jungermannia exsertifolia subsp. cordifolia), 88+
Carpets (artificial substrate), 251
Castello, Miris and Pier Luigi Nimis. [Review of:] Øvstedal, D. O. and R. I. Lewis Smith. Lichens of Antarctica and South Georgia, 504+

Catagonium nitens, 312+; nitens subsp. maritimum, 312+
Catalogus lichenum universalis, 245*
Catinaria atropurpurea, 51
Cavernularia hultenii, 50+
CCA, 13
cDNA (Tortula ruralis), 177+
Centaurea maculosa, 252
Cephalodia, vermicular, 57+
Cephaloziella exiliflora, 24; spec., 126
Ceratodon purpureus, 24, 250+
Cetraria aculeata, 120; chlorophylla, 51; ericetorum, 119; muricata, 119; spp., 31
Chaenotheca (Yellowstone National Park), 40; **nitidula sp. nov.,** 354+*; spp., 25
Chaenothecopsis (Yellowstone National Park), 40
Checklist (bryophytes in Costa Rican montane Quercus forest), 336+
Checklist (Leucoloma accepted names), 607+
Checklist (Leucoloma valid taxa), 619+
Checklist (lichens in the Simeonof Wilderness Area), 114+
Checklist (lichens of Aldabra), 474+
Checklist (lichens of mountainous watershed in Oregon), 444+
Checklist (lichens of Yellowstone National Park), 32+
Checklist (liverworts, mosses, and lichens on conifers in Queen Charlotte Islands, Canada), 454+
Checklist (mosses of Lacandon Forest, Chiapas, Mexico), 327+
Cheilolejeunea mimosa, 24
Cheiromycina flabelliformis, 123*
CHEN, XINBO, QIN ZENG, and ANDREW J. WOOD. Aldh7B6 Encodes a Turgor-Responsive Aldehyde Dehydrogenase Homologue That is Constitutively Expressed in Tortula ruralis Gametophytes, 177+
CHIEN, GAO, MARSHALL R. CROSBY, and SI HE. Moss Flora of China, English Version, Volume 1. Sphagnaceae through Leucobryaceae [review], 731
Chile (Hepaticae), 126+
Chiloscyphus argutus, 24; semiteres, 24
China (Isotachis), 693+
Chlorophylls a and b (Jungermannia exsertifolia subsp. cordifolia), 88+
Chromosome numbers (Pleuridium spp.), 259
Chrysothrix candelaris, 25; chrysophthalma, 124; chrysophthalma s. str., 124
Cinereorufa-green (Lecanora ramulicola), 65
Cladia aggregata, 26
Cladina cf. stellaris, 119; mitis, 119; pacifica, 119; rangiferina, 119; stellaris, 119
Cladonia amaurocraea, 119; bellidiflora, 119; cervicornis subsp. verticillata, 25; cf. subsquamosa, 25; chlorophaea, 119; coccifera, 119; coniocraea, 31; corniculata, 26; crispata, 119; deformis, 119; fimbriata, 31*, 119; floerkeana, 25; furcata, 119; gracilis, 119; gracilis subsp. gracilis, 120; macilenta, 26; maxima, 119; ochrochlora, 25; praetermissa, 25; ramulosa, 26; rigida, 26; sp. A, 25; spp., 26; squamosa, 119; stricta, 119; uncialis, 119
Clear cuts (Usnea longissima transplants), 237+
CLUSTAL-V, 178
COLE, W. JOHN. *See* RYCROFT, DAVID S., 363+
Collema (Yellowstone National Park), 40
Cololejeunea angustifolia, 431+*; ciliata, 431+*; crenulata, *431*; flavicans, 431+*; javanica, *431*; mackeeana, *431*; minitissima ssp. myriocarpa, 126
Colonization (lichen), 673+
Colorado, U.S.A. (Rimularia paradoxa), 222
Consensus classification (moss phenology), 207+
Consensus trees (Plagiotheciaceae), 315+
Conserved amino acid residues (ALDH), 180
Cophenetic value matrices (Fossombronia), 227
Coscinodon, 264
Costa Rica (bryophytes), 334+
Costae (Bryum bicolor complex), 137
Cover classes (Liverworts, mosses, and lichens on conifers in Queen Charlotte Islands, Canada), 451+
COXSON, DARWYN S. [Review of:] BELKNAP, JAYNE and OTTO L. LANGE. Biological Soil Crusts: Structure, Function, and Management, 500+
COXSON, DARWYN S. *See* BENSON, SHELLY, 673+
CRANDALL-STOTLER, BARBARA. *See* SCOTT, KELSI M., 225+
CRANDALL-STOTLER, BARBARA J. *See* STOTLER, RAYMOND E., 400+
Cretaceous epicontinental seaways, 264+
Cryphaea dilatata, 25; exannulata, 24
Cryptogamic vegetation (mine tailings), 249+
CULBERSON, WILLIAM LOUIS. [Review of:] ELIX, JOHN A. A revision of the lichen genus Paraparmelia Elix & J. Johnst., 729
CULBERSON, WILLIAM LOUIS. [Review of:] LOUWHOFF, SIMONE H. J. J. and JOHN A. ELIX. Hypotrachyna (Parmeliaceae) and allied genera in Papua New Guinea, 729
CULBERSON, WILLIAM LOUIS. [Review of:] NASH, THOMAS H., III, BRUCE D. RYAN, CORINNA GRIES, and FRANK BUNGARTZ. Lichen Flora of the Greater Sonoran Desert Region. Volume 1, 725
Cyanolichen functional group, 676+

Dactylina madreporiformis, 31
DANIELS, FRED J. A. *See* TALBOT, STEPHEN S., 111+*m
DAVISON, PAUL G. [Review of:] ZHU, RUI-LIANG and MAY LING SO. Epiphyllous Liverworts of China, 728
Dechloropannarin (Rinodina), 668
DELACH, AIMEE and ROBIN WALL KIMMERER. The Effect of Polytrichum piliferum on Seed Germination and Establishment on Iron Mine Tailings in New York, 249+
DELGADILLO M., CLAUDIO and ÁNGELES CÁRDENAS S. The Lacandon Forest (Chiapas, Mexico): A Benchmark Area for Tropical Mosses, 327+
Dermatocarpon reticulatum, 31
Desiccation tolerance (moss phenology), 208+
Desiccation-rehydration and gene expression (Tortula ruralis), 180+
Desiccation-tolerance, 177+
Dicnemoloma pallidum, 25
Dicranaceae (Leucoloma), 509+, 591+
Dicranella cerviculata, 97+
Dicranoloma leichhardtii, 619; **macrodon nov. comb.,** 619; menziesii, 24
Dicranum (Leucoloma) thraustum, *559*; chrysobasilare, *527*; chrysobasilare var. gracilicaulon, *546*; commersonianum, *532*; cuneifolium, *596*; dichelymoides, *575*; leichhardtii, *619*; macrodon, *619*; polysetum, 384+; sect. Leucoloma, *523*; semperi, 619
DIEDERICH, PAUL. Kalchbrenneriella, A New Genus to Accommodate the Lichenicolous Hyphomycete Torula cyanescens, 411+
DIERßEN, KLAUS. Distribution, Ecological Amplitude, and Phytosociological Characterization of European Bryophytes [review], 503+
Dioecious species (mosses), 212+
Diplolaena lyelli α lamellata, *403*
Dirinaria-type spore development (Rinodina), 657*
Discriminant analysis (habitat data), 235+
Disjunct distributions (Lejeuneaceae), 269
Disjunct ranges (Plagiochila), 202

Dispersal (Usnea longissima), 233+
Distichophyllum crispulum, 24
Distribution (Bryum bicolor complex), 129+m
Distribution (Fissidens hyalinus), 43+
Distribution of growth forms (lichens), 29+
Distribution of lichen species by substrate (Yellowstone National Park), 39+
Ditrichum difficile, 25
Diversity (bryophytes), 11+
Diversity (lichens), 11+
DNA amplification (Fossombronia), 227
DNA analysis (Trapeliopsis), 78+
DNA extraction (Fossombronia), 226
Douglas fir stands (lichens), 28+*
DREHWALD, UWE. *See* REINER-DREHWALD, MARÍA ELENA, 422+
Dumortiera hirsuta, 126

Easter Island (Chile), 247
Easter Island, Chile (Hepaticae), 126+
Ecology (Bryum bicolor complex), 129+
Ectolechiaceae, 57+
Edge effects (lichen abundance), 49+
Edge environment (lichens), 48+
Edge-interior gradient (lichens), 49+
EGGETT, DENNIS L. *See* ST. CLAIR, SAMUEL B., 415+
EHRLÉN, JOHAN. *See* BISANG, IRENE, 384+
Element accumulation patterns (lichens), 415+
Element analysis (Bryoria fremontii), 41
Element analysis (Letharia vulpina), 41
Element ratio analysis (lichens), 417
ELIX, JOHN A. A revision of the lichen genus Paraparmelia Elix & J. Johnst. [review], 729
Emergent capitulum (Sphagnum spp.), 100+*
Emergent innovations (Polytrichum strictum), 100+*
Emergent innovations (Sphagnum spp.), 100+*
Emodin (Caloplaca), 304
Empetrum nigrum heaths (lichens), 113+
Endocarpon pusillum, 31
Engelmann spruce stands (lichens), 29+*
ENGLER and PRANTL (Die natürlichen Pflanzenfamilien), 244
English Botany, 72
Environmental site characteristics (Usnea longissima), 236+
Environmental variables (species richness), 12+
Ephemerella caldensis, *256*
Ephemerum nitidum, *256*
Epiphyllous liverwort (Sphaerolejeunea), 422+
Epiphytic lichens, 48+
Erratum: The Bryologist 105(1), pp. 96–103, 299
ESSLINGER, THEODORE L. Recent Literature on Lichens—184, 140+
ESSLINGER, THEODORE L. Recent Literature on Lichens—185, 284+
ESSLINGER, THEODORE L. Recent Literature on Lichens—186, 478+
ESSLINGER, THEODORE L. Recent Literature on Lichens—187, 699+
EST analysis (Tortula ruralis), 177+
Establishment (vascular vegetation), 249+
Eucalyptus saligna (bryophytes and lichens), 17; spp. (bryophytes and lichens), 12+
Eucamptodon muelleri, 24
EVERSMAN, SHARON, CLIFFORD M. WETMORE, KATHERINE GLEW, and JAMES P. BENNETT. Patterns of Lichen Diversity in Yellowstone National Park, 27+*m
Extreme environment adaptation (mosses), 249+

Fallacinal (Caloplaca), 304
FAUBERT, PATRICK and LINE ROCHEFORT. Erratum: The Bryologist 105(1), pp. 96–103, 299
FAUBERT, PATRICK and LINE ROCHEFORT. Response of Peatland Mosses to Burial by Wind-dispersed Peat, 96+
Fiji (Fissidens), 246
Fire (bryophytes and lichens), 13+
Fissidens, 185+; abbreviatus, 247; allionii, 186; asplenioides, 24; ceylonensis, 246+; elegans, 186, 247; flexinervis, *186*; goyazensis, 186; gymnostomus, 186; hornschuchii, 186; humilis, 24; hyalinus, 43+m; inaequalis, 186; lautokensis, 247; leptophyllus, 186; linearis Brid. complex, 247; linearis Brid. var. obscurirete, 248; nymanii, *43*; oblongifolius, 24; ornatus, 186; pallidinervus, 186; pallidus, 24; pascuanus, 246+; pellucidus var. papilliferus, 186; perfalcatus, 186; philonotulus, *246*+; prionodes, 186; pungens, 24; scariosus, 186; spp., 24; subhumilis, 24; submarginatus, 186; subradicans, 186; subulatus, 186; taylorii, 24; tenellus, 24; termitarum, 185+; zollingeri, 186
Flavocetraria cucullata, 119
Flavoparmelia caperata, 415+; euplecta, 26; rutidota, 25
Flavopunctelia flaventior, 415+
Foliose lichen functional group, 676+
FORD, C. HEATHER. *See* STOTLER, RAYMOND E., 400+
Forest floor termite structures, 185+
Forman (moss phenology), 207+
Fossombronia (breeding system), 225+
Fossombronia (population structure), 225+
Fossombronia (speciation), 225+
Fossombronia corbulaeformis, 404*; cristula, 226+; foveolata, 226+; japonica, 226+; lamellata, 226+; porphyrorhiza, 226+; pusilla, 226+; texana, 226+
FRAHM, JAN-PETER and JENS EGGERS. Lexikon deutschsprachiger Bryologen [review], 297+
FRÖDÉN, PATRIK. *See* KARNEFELT, INGVAR, 301+
Frullania ericoides, 126; lagenifera, *126*; monocera, 24; probosciphora, 24; squarrulosa, 24
Fuscidea arboricola, 51; lightfootii, 125; praeruptorum, 51; pusilla, 51
Fuscopannaria, 465+; **abscondita sp. nov.,** 465+*m; **viridescens sp. nov.,** 467+*m
Fusicoccadiene, 364+
Fusicoccadiene (Plagiochila), 191+

Gametangial maturation patterns (moss phenology), 206+
Gansu, China (Rimularia subconcava), 222
GAO, CHIEN, TONG CAO, and JUN SUN. The genus Isotachis (Hepaticae: Balantiopsaceae) in China, 693+
Gap structure (lichen), 673+
GC-MS (Plagiochila spp.), 190+
Gene discovery (Tortula ruralis), 177+
Gene expression and environmental factors (Tortula ruralis), 180+
Generitype (Petalophyllum), 400+
Genetic variation (bryophytes), 225+
Geographic analyses (algal layer in lichens), 104+
GIRALT, MIREIA. The Lichen Genera Rinodina and Rinodinella (Lichenized Ascomycetes, Physciaceae) in the Iberian Peninsula [Review], 506
GLEW, KATHERINE. *See* EVERSMAN, SHARON, 27+*m
GLIME, JANICE M. and WON S. HONG. Bole Epiphytes on Three Conifer Species from Queen Charlotte Islands, Canada, 451+
Glochidion ferdinandi (bryophytes and lichens), 17
Goebelobryum unguiculatum, 24
GOFFINET, BERNARD and ROBYNN K. SHANNON. On the Occurrence of an Extensive but Deciduous Prostome in Orthotrichum obtusifolium, 349+

GOFFINET, BERNARD. [Review of:] FRAHM, JAN-PETER and JENS EGGERS. Lexikon deutschsprachiger Bryologen, 297+
GRADSTEIN, S. ROBBERT. *See* HOLZ, INGO, 334+
Graphis spp., 25
Grasslands and meadows (lichens), 29+*
Gravistimulated sporophytes (Pellia), 407+
Gravitropism (Pellia), 408
Great Discoveries in Bryology and Lichenology (Alexander Zahlbruckner (1860–1938): The Author of Two Historical Milestones in Lichenology), 243+
Great Discoveries in Bryology and Lichenology (William Borrer (1781–1862), Father of British Lichenology), 70+
Green tree retention, 240
GREENE, STANLEY W. (moss phenology), 206+
GREVEN, HENK C. Grimmia nevadense, A New Species from California, 273+*
GRIES, CORINNA. *See* NASH, THOMAS H., III, 635+
Grimme (moss phenology), 205
Grimmia mariniana, 273; montana, 262+*; **nevadense sp. nov.,** 273+*; pulvinata, 24; tenera, *263*; teretinervis, 262+*m; unicolor, 266
GROLLE, RICLEF. Addendum: The Hepaticae of Easter Island (Chile), 299
GROLLE, RICLEF. Hepaticae of the Easter Island (Chile), 126+
GROTH, HENK. *See* HEINRICHS, JOCHEN, 189+
GROTH, HENK. *See* RYCROFT, DAVID S., 363+
Growth asymmetry (Pellia), 407+
Growth cycles in mosses (phenology), 206+
Growth dynamics (Usnea longissima), 237+
Gyalideopsis piceicola, 51
Gyrophoric acid (Biatora printzenii), 123
Gyrophoric acid (Rimularia spp.), 222+
Gyrophoric acid (Trapeliopsis), 81

Habitat (Fissidens hyalinus), 43+
Habitat (Usnea longissima), 233+
Hägerup (moss phenology), 205
Haplotype network, 376+*
HARRINGTON, FRANCIS A. *See* SEAWARD, MARK R. D., 473+
HASTINGS, ROXANNE I. Biogeography of Grimmia teretinervis (Bryopsida, Grimmiaceae) in North America, 262+
Heath vegetation (Simeonof Island), 113+
HEDENÄS, LARS and NIKLAS PEDERSEN. Nomenclatural Consequences of a Phylogenetic Study of the Plagiotheciaceae, 325+
HEDENÄS, LARS. *See* Pedersen, Niklas, 310+
HEDWIG, J., 259
HEINRICHS, JOCHEN, HENK GROTH, INGO HOLZ, DAVID S. RYCROFT, CARSTEN RENKER, and THOMAS PRÖSCHOLD. The Systematic Position of Plagiochila moritziana, P. trichostoma, and P. deflexa, Based on ITS Sequence Variation of Nuclear Ribosomal DNA, Morphology, and Lipophilic Secondary Metabolites, 189+
HEINRICHS, JOCHEN. *See* HOLZ, INGO, 334+
HEINRICHS, JOCHEN. *See* RYCROFT, DAVID S., 363+
Henrica, 398+; **americana sp. nov.,** 398+*
Hepaticae (Cololejeunea), 431+
Hepaticae (Easter Island), 126+
Hepaticae (Isotachis), 693+
Herzogiella adscendens, 312+; cylindricarpa, 312+; seligeri, 312+; striatella, 312+
HESSE, VOLKER. Epiphytic lichen diversity and its dependence on chemical site factors in differently elevated dieback-affected spruce stands of the Harz Mountains [review], 730
Heterodermia obscurata, 26; pseudospeciosa, 15+; sp. A, 26
Heterothecium sanguinarium var. alpinum, *113*
Hieracium spp., 252
HILMO, OLGA and HÅKON HOLIEN. Epiphytic Lichen Response to the Edge Environment in a Boreal Picea abies Forest in Central Norway, 48+
HOCK, B. The Mycota. Volume IX: Fungal Associations [review], 502+
HOLIEN, HÅKON. *See* HILMO, OLGA, 48+
HOLZ, INGO, S. ROBBERT GRADSTEIN, JOCHEN HEINRICHS, and MAARTEN KAPPELLE. Bryophyte Diversity, Microhabitat Differentiation, and Distribution of Life Forms in Costa Rican Upper Montane Quercus Forest, 334+
HOLZ, INGO. *See* HEINRICHS, JOCHEN, 189+
HONEGGER, ROSMARIE. [Review of:] KRANNER, ILSE, RICHARD P. BECKETT, and AJIT K. VARMA. Protocols in Lichenology: Culturing, Biochemistry, Ecophysiology and Use in Biomonitoring, 726
HONG, WON S. *See* GLIME, JANICE M., 451+
Hooker, Sir William, 72
Humidity (edge-interior gradient), 49+
HUTCHINSON, JENIFER. *See* MARTIN, ERIN, 358+
HUTCHINSON, JENIFER. *See* MCCUNE, BRUCE, 439+
Hyphomycete (Torula), 411+
Hypnodendron vitiense subsp. australe, 24
Hypnum bifidum, *532*; cuppressiforme, 25, 312+
Hypocenomyce cf. scalaris, 26; leucococca, 51; sorophora, 51, 125
Hypogymnia billardierei, 26; **bryophila sp. nov.,** 470+*; imshaugii, 40; physodes, 40, 50+, physodes (air pollution), 104+; sachalinensis, 507; spp., 40; subphysodes, 26; tubulosa, 40, 50+
Hypopterygium rotulatum, 25
Hypotrachyna booralensis, 26; immaculata, 26; osseoalba, 26; sp. A, 25

Icmadophila ericetorum, 31
INAASE 2.3b (Pseudocyphellaria), 3+
Index to Volume 104 of the Bryologist (Revised), 167+
Information for Contributors, 164+
Intermountainous west (North America), 78
Internal transcribed spacer (ITS) region, 375+*
Intraspecific genetic variation (bryophytes), 225+
Ireland, Robert R., 126+
Iron mine tailings (vegetation), 249+
Irradiance (edge-interior gradient), 49+
Isopterygiopsis muelleriana, 312+; pulchella, 312+
Isopterygium albescens, 312+; limatum, 24; minutirameum, 312+; tenerum, 312+
Isosphaeric acid (Rinodina), 654
Isotachis, 693+; armata, 693+*; **chinensis sp. nov.,** 694+*; japonica, 697+; turgida, *697*
ITS sequence variation (Plagiochila spp.), 190+
Izembek National Wildlife Refuge, Alaska (lichens), 113+

Jaccard Index, 344+
Jaccard Index of Similarity, 40
Jackiella javanica, 126
Japewia subaurifera, 51; tornoënsis, 51
JØRGENSEN, PER M. and MIKHAIL ZHURBENKO. Two New, Remarkable, Arctic Species in the Lichen Genus Fuscopannaria (Pannariaceae, Lichenized Ascomycetes), 465+
Jungermannia armata, *693*; exsertifolia subsp. cordifolia, 86+; ralfsii, *401*

Kalchbrenneriella gen. nov., 411+; **cyanescens comb. nov.,** 411+*
Kantvilasia, 59+; hians, 58+

KAPPELLE, MAARTEN. *See* HOLZ, INGO, 334+
KÄRNEFELT, INGVAR, SERGEY KONDRATYUK, ULRIK SØCHTING, PATRIK FRÖDÉN, and ULF ARUP. Two New Species of Caloplaca (Teloschistaceae) from the Southern Hemisphere, 301+
KEON, DYLAN B. and PATRICIA S. MUIR. Growth of Usnea longissima Across a Variety of Habitats in the Oregon Coast Range, 233+*m
Key (infraspecific taxa of Leucoloma chrysobasilare), 529
Key (infraspecific taxa of Leucoloma zuluense), 555+
Key (Isotachis in China), 693
Key (Leucoloma ochrobasilare infraspecific taxa), 583
Key (Leucoloma Subgenera, Infrageneric Taxa of Subgenus Syncratodictyon, and Species of Leucoloma Series Holomitrioidea), 592+
Key (Rinodina in Western North America), 650+
Key (Subgenera of Leucoloma, infrageneric taxa of subgenus Leucoloma), 525+
Key to Species (Bryum bicolor complex), 129
Key to the UV+ Pyxine species of the eastern United States, 271
Key to the varieties of Plagiochila rutilans, 198
KH_2PO_4 enrichment (Jungermannia exsertifolia subsp. cordifolia), 86+
KIMMERER, ROBIN WALL. *See* DELACH, AIMEE, 249+
Kirgiziya (Rimularia subconcava), 223
Kishino-Hasegawa tests (Plagiochila spp.), 191+
KOFFMAN, ANNA. *See* TIBELL, LEIF, 353+
KONDRATYUK, SERGEY. *See* KÄRNEFELT, INGVAR, 301+
KONRAT, MATTHEW VON. [Review of:] SCHUSTER, RUDOLPH M. Austral Hepaticae Part I, 505+
KOPERSKI, MONIKA, MICHAEL SAUER, WALTHER BRAUN, and S. ROB GRADSTEIN. Referenzliste der Moose Deutschlands (Schriftenreihe fur Vegetationskunde, Heft 34) [review], 162+
KRANNER, ILSE, RICHARD P. BECKETT, and AJIT K. VARMA. Protocols in Lichenology: Culturing, Biochemistry, Ecophysiology and Use in Biomonitoring [review], 726
Krieger (moss phenology), 205

LA FARGE, CATHERINE. Leucoloma I: A Revision of Subgenus Leucoloma (Dicranaceae, Bryopsida) in Africa and Madagascar, 509+
LA FARGE, CATHERINE. Leucoloma II: A Revision of Leucoloma Series Holomitrioidea (Dicranaceae), 591+
LA FARGE, CATHERINE. Leucoloma III. A Species Synopsis: Typification, Synonymy, and Excluded Names, 606+
Lacandon Forest, Chiapas, Mexico (mosses), 327+
LACKNER, LEOPOLD (moss phenology), 206
LANE, DAVID M. *See* POWOROZNEK, EMILY L., 167+
Lasallia spp. (air pollution), 104+
Lasioloma, 59+; arachnoideum, 59
Lauderlindsaya borreri, 72
Leaf lamina thickness (Pleuridium spp.), 259
Leaf litter (substrate), 250+
Lecanora aitema, 65; albellula, 65; argopholis, 31; cadubriae, 67; campestris gp., 25; expallens, 51; farinaria, 51, 73; garovaglii, 31; muralis, 31; muralis (air pollution), 104+; novomexicana, 31; polytropa, 31; **ramulicola comb. nov.,** 63+*; rupicola, 31; saepincola, 65; saepincola var. ramulicola, *63*; sp. A, 25; subfusca group, 65+; subintricata, 65; symmicta, 65+; symmicta f. ramulicola, *63*; symmicta group, 63+; symmictera f. rufescens, *63*; tartarea, *113*; trabalis, 65; varia gp., 25; varia group, 65
Lecanoraceae, 59
Lecanoraceae spp., 25
Lecanoric acid (Biatora printzenii), 123
Lecanoric acid (Trapeliopsis), 83
Lecidea atrobrunnea, 31; betulicola, 51; glebulosa, *83*; magnussoniana, *67*; michoacanensis, *219*; nylanderii, 51; ramulicola, *63*; saepincola var. ramulicola, *63*; subconcava, *222*; tessellata, 31; wallrothii, *83*
Lecidella stigmatea, 31
Lectotype (Pleuridium acuminatum), 259+
Lectotype (Pleuridium subulatum), 259+
LEIGHTON, WILLIAM A., 75
Leiodermia duplicatum, 25
Lejeunea cavifolia, 428*; drummondii, 24; flava, 126; minutiloba, 126; primordialis, 24; spec., 126
Lejeuneaceae (Cololejeunea), 431+
Lejeuneaceae (Sphaerolejeunea), 422+
Lembophyllum divulsum, 312+
Lepidopilum scabrisetum, 642+*
Lepidozia paschalis, 299
Lepidoziaceae spp., 24
Lepraria incana, 25; viridis, 73
Leprocaulon spp., 31
Leptobryum spp., 258
Leptocolea angustiflora, *431*
Leptogium (Yellowstone National Park), 40; cellulosum, 358+m*; lichenoides, 31; rogersi, 26; teretiusculum, 358+m*
Letharia columbiana, 31; vulpina, 31*
Lethocolea squamata, 24
Leucobryum candidum, 25
Leucoloma (I), 509+
Leucoloma (II), 591+
Leucoloma (III), 606+
Leucoloma acutum, *569*; angustifolium, *532*; bifidum, 532+m*; bifidum var. orthothecioides, *569*; chrysobasilare, 527+*m; **chrysobasilare ssp. africana ssp. nov.,** 531+; chrysobasilare ssp. chrysobasilare, 529+; chrysobasilare ssp. procerum, *546*; chrysobasilare var. gracilicaulon, *546*; cinclidotioides, 535+m*; **circinale sp. nov.,** 593+m*; comorae, *527*; crepinii, *569*; crepinii var. orthothecioides, *569*; crosbyi, 563+m*; cuneifolium, 596+m*; dichelymoides, 575+m*; fontinaloides, 577+m*; forsythii, *541*; gracilescens, 537+m*; grandidieri 565+m*; grimmioides, 599+m*; holomitrioides, *575*; holstii, 539+m*; leichhardtii, *619*; lepervancheri, 541+m*; leptocladum, *541*; levieri, *586*; macrodon, *619*; **madagascariense sp. nov.,** 544+m*; mafatense, 580+m*; **marojeziense sp. nov.,** 601+m*; **membranaceum sp. nov.,** 568+m*; meteorioides, *577*; nom. cons., 523; ochrobasilare, 581+m*; **ochrobasilare ssp. longifolium comb. nov.,** 583+m*; ochrobasilare ssp. ochrobasilare, 583+; procerum, 546+m*; sanctae-mariae, 557+m*; sanctae-mariae var. leptolimbatum, *559*; schelpei, 546+m*; Section Attenuata, 563; Section Dichelymoidea, 574+; Section Obscura, 557+; section Subvittata, 526+; Series Holomitrioidea, 591+; seychellense, 569+m*; silvaticum, *559*; squarrosulum ssp. subbiplicatum, *541*; subbifidum, *541*; subbiplicatum, *541*; subchrysobasilare, 550+m*; subgenus Leucoloma, 509+; subtuberculosum, *581*; subtuberculosum var. longifolium, *585*; talazaccii, 572+m*; talazaccii var. fragilifolium, *572*; thraustum, 559+m*; thurettii, 561+m*; trachynotus, *569*; tuberculosum, 586+m; zuluense, 552+m*; **zuluense var. ovatum var. nov.,** 556+m*; zuluense var. zuluense, 556
Lichen biomass, 676+
Lichen distribution (western Alaska), 111+
Lichen diversity, 27+
Lichen flora (North America), 122+
Lichen floras (North America), 635+

Lichen habitats (Simeonof Wilderness), 111+
Lichen loading, 682+
Lichen taxa (Simeonof Wilderness), 111+
Lichenographia Britannica, 72+*
Lichenology (history), 243+
Lichens (Aldabra), 473+
Lichens (sensitivity to air pollution), 104+
Lichexanthone (Pyxine spp.), 270
Life cycle (bryophytes), 204+
Life forms (bryophytes), 334+
Light exposure (old forest lichens), 239
Light exposure (Usnea longissima), 238+
Light levels and gene expression (Tortula ruralis), 180+
Limbidia (Fissidens spp.), 246
Limonene (Plagiochila), 191+
Lindberg, S. O., 259+
Lineage through time (LTT) plots, 379+*
Linnaeus, Carl, 70+
Linnean Society of London, 70
Lipophilic secondary metabolites (Plagiochila), 189+
Lithographa, 223
Liverworts (genetic variation), 226+
Lobaria linita, 119; pulmonaria, 2+; scrobiculata, 51
Lodgepole pine forest (lichens), 28+*
Lodgepole pine/whitebark pine stands (lichens), 28+
Loflammia, 59+
Loflammiopsis, 59
Logging (bryophytes and lichens), 12+
Logilvia, 59+
Longton, Royce (moss phenology), 207
Lopadium disciforme, 51; tayabasense, *57*+
Lophocolea aberrans, 126; muricata, 299
LOUWHOFF, SIMONE H. J. J. and JOHN A. ELIX. Hypotrachyna (Parmeliaceae) and allied genera in Papua New Guinea. [review], 729
Loxospora elatina, 51
LÜCKING, ROBERT and ROLF SANTESSON. On the Identity of Pyrenotrichum 'atrocyaneum', P. 'mirum', and P. 'podosphaera', Campylidia of Lichenized Ascomycota (Lecanorales: Ectolechiaceae), 57+
LÜCKING, ROBERT. [Review of:] BRODO, IRWIN M., SYLVIA DURAN SHARNOFF, and STEPHEN SHARNOFF. Lichens of North America, 499+
LÜCKING, ROBERT. [Review of:] MCCARTHY, P. M., ed. Flora of Australia Volume 58A. Lichens, 296+
LUMBSCH, H. T., P. M. MCCARTHY and W. M. MALCOLM. Key to the Genera of Australian Lichens. Flora of Australia Supplementary Series Number 11 [review], 162
LUTZONI, FRANÇOIS. *See* MIADLIKOWSKA, JOLANTA, 1+

Macaronesia (Plagiochila), 363+
Macrodon, *523*; aubertii, *532*
Macromitrium archeri, 25
Madagascar (Leucoloma), 509+
Management (Usnea longissima), 240
MANGELSON, NOLAN F. *See* ST. CLAIR, SAMUEL B., 415+
Marchantia berteroana, 126
Marchantiophyta (Petalophyllum), 400+
Maritime climate (lichens), 119
Marsupidium knightii, 126
MARTIN, ERIN, BRUCE MCCUNE, and JENIFER HUTCHINSON. Distribution and Morphological Variation of Leptogium cellulosum and L. teretiusculum in the Pacific Northwest, 358+
MARTÍNEZ-ABAIGAR, JAVIER, ENCARNACIÓN NÚÑEZ-OLIVERA, and NATHALIE BEAUCOURT. Short-Term Physiological Responses of the Aquatic Liverwort Jungermannia exsertifolia subsp. cordifolia to KH_2PO_4 and Anoxia, 86+
Maximum likelihood (Plagiochila spp.), 191+
Maximum likelihood analysis (Pseudocyphellaria), 3+
Maximum parsimony (Plagiochila spp.), 191+
Maximum parsimony analysis (Pseudocyphellaria), 3+
MAY, PHILIP. [Review of:] GIRALT, MIREIA. The Lichen Genera Rinodina and Rinodinella (Lichenized Ascomycetes, Physciaceae) in the Iberian Peninsula, 506
MAY, PHILIP. *See* PRINTZEN, CHRISTIAN, 63+
MAYRHOFER, HELMUT. *See* SHEARD, JOHN W., 645+
MCCARTHY, P. M., ed. Flora of Australia Volume 58A. Lichens [review], 296+
MCCUNE, BRUCE. Hypogymnia bryophila, A New Sorediate Lichen Species from Portugal, 470+
MCCUNE, BRUCE and SVETLANA TCHABANENKO. Addendum to Description of Hypogymnia sachalinensis, 507
MCCUNE, BRUCE, FRANCISCO CAMACHO, and JEANNE PONZETTI. Three New Species of Trapeliopsis on Soil in Western North America, 78+
MCCUNE, BRUCE, JENIFER HUTCHINSON, and SHANTI BERRYMAN. Concentration of Rare Epiphytic Lichens Along Large Streams in a Mountainous Watershed in Oregon, U.S.A., 439+
MCCUNE, BRUCE. [Review of:] BRODO, IRWIN M., SYLVIA DURAN SHARNOFF, and STEPHEN SHARNOFF. Lichens of North America, 498+
MCCUNE, BRUCE. *See* MARTIN, ERIN, 358+
MCCUNE, BRUCE. *See* MIADLIKOWSKA, JOLANTA, 1+
MCDANIEL, STUART F. *See* SHAW, A. JONATHAN, 373+
McKenzie riparian gradient (lichens), 441+
Medulla (Pyxine spp.), 270+
Megalaria sp., 25
Melanelia elegantula, 31; exasperatula, 31, 51; fuliginosa, 51; subolivacea, 39
Melilotus officinalis, 251+
Menthone (Plagiochila), 191+
Mesochaete undulata, 24
Methane monoterpenoids (Plagiochila), 198
Methyl 3′,4-dihydroxy-4′-*O*-methyllunularate, 364+
Methyl 4-hydroxy-4′-*O*-methyllunularate, 364+
Metzgeria decipiens, 24
Meusel (moss phenology), 205
Mexico (Lacandon Forest, Chiapas, mosses), 327+
Mexico (Pseudephemerum), 256+
Mexico (Rimularia michoacanensis), 221
Meyer, Georg F. W., 70
MIADLIKOWSKA, JOLANTA, BRUCE MCCUNE, and FRANÇOIS LUTZONI. Pseudocyphellaria perpetua, a New Lichen from Western North America, 1+
Micarea cinerea, 51; prasina, 51
Microclimate (lichens), 48+
Microhabitat differentiation (bryophytes), 334+
Microhabitats, 336+
Mine tailings (vegetation), 249+
Mineral enrichment effects (Jungermannia exsertifolia subsp. cordifolia), 86+
Misidentification (Grimmia teretinervis), 262+
Modeltest 3.04 (Plagiochila spp.), 191+
Modeltest 3.04PPC (Pseudocyphellaria), 3
Moerckia hibernica, 300*
Molecular and morphological evidence (Plagiotheciaceae), 310+
Molecular phylogeny (Plagiochila), 369+
Monoecious species (mosses), 212+
Montana (Henrica), 398+
Morphological data matrix (Plagiotheciaceae), 314+
Morphology (Bryum bicolor complex), 129+
Morphology (Plagiochila), 189+
Moss diaspores (collection), 97
Moss diaspores (reintroduction), 96+
Moss turf (substrate), 251+

Mosses (Lacandon Forest, Chiapas, Mexico), 327+
Mosses (mine tailings), 249+
Mosses (phenology), 204+
Mosses (reproductive ecology), 204+
MrBayes 1.11 (Pseudocyphellaria), 3
Muir, Patricia S. *See* Keon, Dylan B., 233+*m
Murie Islets, Alaska (lichens), 111+m
Mycoblastus affinis, 51; alpinus, 113; fucatus, 51; sanguinarius, 51
Myurella acuminata, 312+; julacea, 312+; tenerrima, 312+

Nash, Thomas H., III, Corinna Gries, and Gerhard Rambold. Lichen Floras: Past and Future for North America, 635+
Nash, Thomas H., III, Bruce D. Ryan, Corinna Gries, and Frank Bungartz. Lichen Flora of the Greater Sonoran Desert Region. Volume 1 [review], 725
Natural Museum of History (Vienna), 243
Neighbour joining (Plagiochila spp.), 191+
Neoalloocimene, 364+
Neophyllis melacarpa, 25
Neotropical liverwort (Plagiochila), 363+
Neotropical Plagiochilae, 189+
Nephroma parile, 31
Nested ANOVA, 236
New Frontiers in Bryology and Lichenology (Lichen floras), 635+
New Frontiers in Bryology and Lichenology (Phenology and its Repercussions on the Reproductive Ecology of Mosses), 204+
New Frontiers in Bryology and Lichenology (Phylogeography and Phylodemography), 373+
New York (iron mine tailings), 249+
New York (Pyxine subcinerea), 270
New York Botanical Garden (Pyxine subcinerea), 270+
News, 299
Nimis, Pier Luigi, Christoph Scheidegger, and Patricia A. Wolseley. Monitoring with Lichens—Monitoring Lichens [review], 501+
Nimis, Pier Luigi. *See* Castello, Miris, 504+
NMR (Plagiochila spp.), 190+
NMR spectra (Plagiochila), 367+
Norargopsin (Biatora printzenii), 123
Norris, Daniel H. [Review of:] Chien, Gao, Marshall R. Crosby, and Si He. Moss Flora of China, English Version, Volume 1. Sphagnaceae through Leucobryaceae, 731
Norris, Daniel H. [Review of:] Xing-Jiang, Li, Marshall R. Crosby, and Si He. Moss Flora of China, English Version, Volume 2. Fissidentaceae—Ptychomitriaceae, 731
North America (Bryum bicolor complex), 128+m
North America (Chaenotheca), 353+
North America (Grimmia teretinervis), 262+
North America (lichens), 122+
North America, western (Pseudocyphellaria), 1+
North America, western (Rinodina), 645+
North America, western (Trapeliopsis), 78+
Northern blot analysis (Tortula ruralis), 178
Norway, central (lichens), 48+
nrDNA (Pseudocyphellaria), 1+
nrDNA ITS sequences (Plagiochila), 189+
NTSYS-pc, 227
Nuclear ribosomal DNA (Plagiochila), 189+
Núñez-Olivera, Encarnación. *See* Martínez-Abaigar, Javier, 86+
Nutrient solution (mosses), 103
Nylander, William, 75

Oceanic crowberry heaths (lichens), 113+
Ocelli (Vitalianthus urubuensis), 267+
Ochrolechia, 81; androgyna, 51; frigida, 119; gowardii, 51; juvenalis, 51; microstictoides, 51; tartarea, 113
Ochyra, Ryszard and William R. Buck. A Re-appraisal of the Type Material of Plagiothecium drepanophyllum, 641+
Oospora cyanescens, *411*
Opegrapha corticola, 124
Oregon (lichens), 439+
Oregon (Pseudocyphellaria), 1+
Oregon Coast Range (Usnea longissima), 233+m
Orthodontium assimile, 24; lineare, 24
Orthothecium chryseum, 312+; intricatum, 312+; rufescens, 312+
Orthotrichum hallii, 263; obtusifolium, 349+*
Ovstedal, D. O. and R. I. Lewis Smith. Lichens of Antarctica and South Georgia: A Guide to Their Identification and Ecology [review], 504+

Pachysporaria-type spore development (Rinodina), 669*
Pacific Northwest (Leptogium), 358+
Pacific Northwest, U.S. (Usnea longissima), 233+m
Panicum virgatum, 250+
Pannaria (Yellowstone National Park), 40; pezizoides, 31
Pannariaceae (Fuscopannaria), 465+
Pannarin (Rinodina), 652
Pannoparmelia wilsonii, 26
Papillaria crocea, 24
Parietin (Caloplaca), 302, 304
Parietinic acid (Caloplaca), 304
Parmelia borreri, 72; erumpens, 26; omphlodes, 119; saxatilis, 51; saxatilis (air pollution), 104+; sulcata, 50+; sulcata (air pollution), 104+m
Parmeliella parvula, 51
Parmelina conlabrosa, 26
Parmelinopsis horrescens, 26; minarum, 26
Parmeliopsis ambigua, 31*, 51; hyperopta, 51
Parmotrema mellisii, 26
PAUP* 4.0b8 (Plagiochila spp.), 191+
PAUP*4.02a (Trapeliopsis), 78+
PAUP*4.0b4a (Pseudocyphellaria), 2
PCR (Chaenotheca), 353
PCR (Plagiochila spp.), 190+
Peatland ecosystem regeneration, 96+
Peatland mosses, 96+
Peculiaroxide, 364+
Peculiaroxide (Plagiochila), 191+
Pedersen, Niklas and Lars Hedenäs. Phylogeny of the Plagiotheciaceae Based on Molecular and Morphological Evidence, 310+
Pedersen, Niklas. *See* Hedenäs, Lars, 325+
Pellia epiphylla, 407+
Peltigera aphthosa, 113; canina, 119; membranacea, 119; polydactylon, 119; rufescens, 31; scabrosa, 119
Peppermint odor (Plagiochila), 190+
Pertusaria amara, 51; borealis agg., 51; cf. lacerans, 25; dactylina, 119; novazelandiae, 25; pupillaris, 50+; scaberula, 25; sp. A, 25; sp. B, 25; subventosa, 25; thiospoda, 25; thwaitsii, 25; xanthoplaca, 25
Petalophyllum, 400+; australe, 404; bolivianum, 403+; indicum, 405*; lamellatum, 403; macrocalyx, 404+; preissii, 401+*; ralfsii, 401+*
Phaeopigments (Jungermannia exsertifolia subsp. cordifolia), 88+
Pharo, Emma J. and Andrew J. Beattie. The Association Between Substrate Variability and Bryophyte and Lichen Diversity in Eastern Australian Forests, 11+
Phascum acuminatum, *260*; axillare, *256*; nitidum, *256*; subulatum, *259*; tenellum, *256*

Phenology (bryophytes), 204+
Phenophase classification, 210+
Phenophases (bryophytes), 204+
Phosphorus (P) absorption (Jungermannia exsertifolia subsp. cordifolia), 86+
Photosynthesis (Jungermannia exsertifolia subsp. cordifolia), 87+
Photosynthetic pigment composition (Jungermannia exsertifolia subsp. cordifolia), 87+
Phyllodrepanium falcifolium, 187
Phylodemography, 373+
Phylogenetic analysis (ALDH7B6), 180+*
Phylogenetic analysis (Plagiochila spp.), 190+
Phylogenetic study (Plagiotheciaceae), 325+
Phylogeny (Plagiotheciaceae), 310+
Phylogeny (Pseudocyphellaria), 1+
Phylogeography, 373+
Physcia adscendens, 31; caesia, 31
Physciaceae (Rinodina), 645+
Physconia-type spore development (Rinodina), 652+*
Physiological responses (Jungermannia exsertifolia subsp. cordifolia), 86+
Physocolea crenulata, *431*; javanica, *431*
Physodic acid (Hypogymnia), 470
Phytogeographic elements (Hepaticae), 126+
Picea abies forest (lichens), 48+
Picea sitchensis forest (Pseudocyphellaria), 7
Pilocarpaceae, 59
PIŠÚT, IVAN. Great Discoveries in Bryology and Lichenology, Alexander Zahlbruckner (1860–1938): The Author of Two Historical Milestones in Lichenology, 243+
Placynthiella dasaea, 51
Plagiochila (phytochemistry), 190+
Plagiochila askenasii, *200*; bifaria, 190+; buchtiniana, 190+; caespitosa, *200*; deflexa, 189+*; deflexirama, 190+; diversifolia, 190+; fuscolutea, 190+; longispina, 190+; moritziana, *189*+; nahikuna, *200*; paschalis, 299; permista, *198*; propinqua, 202; punctata, 190+; rockii, *200*; rutilans complex, 190+; **rutilans var. moritziana comb. et stat. nov.,** 190+*; rutilans var. rutilans, 190+; rutilans var. standleyi, 190+; sandei, 190+; sect. Arrectae, 192; sect. Caversiae, 191+; sect. Contiguae, 192; sect. Cucullatae, 192; sect. Fuscoluteae, 191+; sect. Glaucescentes, 192; sect. Permistae, 193; sect. Rutilans, 191+; sect. Superbae, 191+; spinulosa, 190+; stricta, 363+*; subtrinitensis, *191*+; superba, 190+; tocarema, 190+; trichostoma, 189+*; virginica, 190+
Plagiotheciaceae, 325+
Plagiotheciaceae (phylogeny), 310+
Plagiothecium conostegium, 312+; curvifolium, 312+; denticulatum, 312+; drepanophyllum, *641*+; latebricola, 312+; neckeroideum, 312+; nemorale, 312+; piliferum, 312+; standleyi, 643+*; undulatum, 312+
Platismatia glauca, 40; glauca (size and distribution), 49+; norvegica, 51
Platydictya, 325; **baicalensis comb. nov.,** 325; jungermannioides, 312+
Pleuridiella colei, *256*
Pleuridium, 256, 260; acuminatum, 259+; alternifolium, 259; axillare, *256*; caldensis, *256*; colei, *256*; nitidum, *256*; subulatum, 259+; tenellum, *256*
Podomitrium phyllanthus, 24
Poecilophyllum, *523*; leichhardtii, *619*
Pohlia spp., 258
Polymerase chain reaction (Fossombronia), 227
Polymorphism (Fossombronia foveolata), 228+
Polytrichum piliferum, 249+; strictum, 97+
Polytrichum turf (substrate), 252
PONZETTI, JEANNE. *See* MCCUNE, BRUCE, 78+
Porina borreri, 72
Porpidia spp., 25
Portugal (Hypogymnia), 470+
Potassium (K) absorption (Jungermannia exsertifolia subsp. cordifolia), 86+
POWOROZNEK, EMILY L. and DAVID M. LANE. Revised Index to Volume 104 of the Bryologist, 167+
Primary succession, 254
PRINTZEN, CHRISTIAN and PHILIP MAY. Lecanora ramulicola (Lecanoraceae, Lecanorales), an Overlooked Lichen Species from the Lecanora symmicta Group, 63+
PRÖSCHOLD, THOMAS. *See* HEINRICHS, JOCHEN, 189+
PRÖSCHOLD, THOMAS. *See* RYCROFT, DAVID S., 363+
Prostome (Orthotrichum), 349+
Protoblastenia, 223
Protocetraric acid (Hypogymnia), 470
Pseudephemerum, 256; axillare, *256*; caldense, *256*; laxifolia, *256*; nitidum, 256+*; tenellum, *256*
Pseudevernia furfuracea, 51
Pseudocalopadia, 59+
Pseudocyphellaria anomala, 2+; anthraspis, 2+; aurata, 1+; crocata, 1+; dissimilis, 26; mougeotiana, 1+; **perpetua sp. nov.,** 1+*; rainierensis, 2+
Pseudotaxiphyllum elegans, 312+; laetevirens, 313+; pohliaecarpum, 313+
Pseudotsuga menziesii, 234
Psilolechia spp., 25
Psora, 223; michoacanensis, *219*; subconcava, *222*
Psoroma hypnorum, 31, 119
Pulegone (Plagiochila), 191+
Pulvinic acid derivatives (Pseudocyphellaria), 7
Punctelia borreri, *72*; subrudecta, 25
PURSELL, RONALD. *See* ALLEN, BRUCE, 490+
PURSELL, RONALD A. Comments on the Relationships of Fissidens philonotulus and F. pascuanus, 246+
PURSELL, RONALD A. and PAUL L. REDFEARN. William Dean Reese: A Tribute, 625+
PURSELL, RONALD A. *See* BUCK, WILLIAM R., 154+
PURSELL, RONALD A. *See* BUCK, WILLIAM R., 276+
PURSELL, RONALD A. *See* BUCK, WILLIAM R., 713+
PURSELL, RONALD A. *See* REESE, WILLIAM D., 185+
Pycnoconidia (Rimularia spp.), 223
Pyrenotrichum 'atrocyaneum', *57*+; 'mirum', *57*+; 'podosphaera', *57*+; splitgerberi-type campylidia, 59
Pyrrhobryum mnioides, 24; parramattense, 25
Pyrrhospora, 68; cinnabarina, 51; varians, 68
Pyxine albovirens, 270+; berteriana, 270+; caesiopruinosa, 270+; cocoes, 270+; cocoes var. caesiopruinosa, 270+; sorediata, 270+; subcinerea, 270+m

Queen Charlotte Islands, Canada, 451+m
Quercus forest (Costa Rica, bryophytes), 334+

Racopilum cuspidigerum var. cuspidigerum, 25
Rainforests, wet temperate (lichen), 673+
Ralfs, John, 70
RAMBOLD, GERHARD. *See* NASH, THOMAS H., III, 635+
Ramboldia, 68
RAPD polymorphism (Fossombronia), 225+
RAPDistance, 227
Rapid Amplified Polymorphic DNA (Fossombronia), 225+
Recent Literature on Bryophytes—105(1), 154+
Recent Literature on Bryophytes—105(2), 276+
Recent Literature on Bryophytes—105(3), 490+
Recent Literature on Bryophytes—105(4), 713+
Recent Literature on Lichens—184, 140+
Recent Literature on Lichens—185, 284+

Recent Literature on Lichens—186, 478+
Recent Literature on Lichens—187, 699+
REDFEARN, PAUL L. *See* PURSELL, RONALD A., 625+
REESE, WILLIAM D. and RONALD A. PURSELL. The Fissidens Flora of Amazonian Forest Floor Termite Structures, 185+
Reese, William Dean (Tribute), 625+*
REINER-DREHWALD, MARÍA ELENA and UWE DREHWALD. Sphaerolejeunea umbilicata (Lejeuneaceae): A Critically Endangered Epiphyllous Liverwort of the Andes, 422+
Relicina sydneyensis, 26
RENKER, CARSTEN. *See* HEINRICHS, JOCHEN, 189+
RENKER, CARSTEN. *See* RYCROFT, DAVID S., 363+
Reproduction (Trapeliopsis californica-steppica group), 84
Reproductive cost (Dicranum), 384+
Reproductive ecology (mosses), 204+
Reproductive effort (Dicranum), 384+
Respiration (Jungermannia exsertifolia subsp. cordifolia), 87+
Restoration of abandoned peatlands with Sphagnum spp., 96+
Revised Index to Volume 104 of the Bryologist, 167+
Rhizocarpon disporum, 31; geographicum, 31; leptolepis, 221
Rhizofabronia perpilosa, 313+; sphaerocarpa, 313+
Rhizoplaca chrysoleuca, 31; melanophthalma, 31
Rhynchostegium tenuifolium, 24
Riccardia tenerrima, 126
RICHARDSON, DAVID H. S. [Review of:] NIMIS, PIER LUIGI, CHRISTOPH SCHEIDEGGER, and PATRICIA A. WOLSELEY. Monitoring with Lichens—Monitoring Lichens, 501+
Rimelia reticulata, 26
Rimularia (squamulose species), 219+
Rimularia caeca, 221; **michoacanensis comb. nov.**, 219+*; **paradoxa sp. nov.**, 221+*; **subconcava comb. nov.**, 222+*
Rimularia-type asci, 223
Rinodina (New species), 645+
Rinodina aurantiaca sp. nov., 652+m; **badiexcipula sp. nov.**, 653+m*; **boulderensis sp. nov.**, 655+m*; **californiensis sp. nov.**, 656+m*; cf. septentrionalis, 51; dolichospora, 670; efflorescens, 51; **endospora sp. nov.**, 658+m*; flavosoralifera, 124; **grandilocularis sp. nov.**, 659+m*; griseosoralifera, 125; **innata sp. nov.**, 660+m*; **juniperina sp. nov.**, 662+m*; **lignicola sp. nov.**, 663+m*; **lobulata sp. nov.**, 664+m*; **macrospora sp. nov.**, 665+m*; **pacifica sp. nov.**, 666+m*; **perreagens sp. nov.**, 667+m*; sp., 51; **verruciformis sp. nov.**, 669+m*
RISK, ALLEN C. The Distribution, Commonness, and Habitat Characteristics of Fissidens hyalinus in the United States, 43+m
ROCHEFORT, LINE. *See* FAUBERT, PATRICK, 96+
Rogers and Tanimoto similarity matrices (Fossombronia), 229
ROGOFF, HARRY A. *See* THOMAS, ROBERT J., 407+
ROS, ROSA M. *See* SHAW, A. JONATHAN, 373+
Royal Society, 70
Rumex acetosella, 252
RYAN, BRUCE D. [Review of:] LUMBSCH, H. T., P. M. MCCARTHY and W. M. MALCOLM. Key to the Genera of Australian Lichens. Flora of Australia Supplementary Series Number 11, 162
RYCROFT, DAVID S., W. JOHN COLE, JOCHEN HEINRICHS, HENK GROTH, CARSTEN RENKER, and THOMAS PRÖSCHOLD. Phytochemical, Morphological, and Molecular Evidence for the Occurrence of the Neotropical Liverwort Plagiochila stricta in the Canary Islands, New to Macaronesia, 363+
RYCROFT, DAVID S. *See* HEINRICHS, JOCHEN, 189+

Sacrificial method, 235+
Salinity and gene expression (Tortula ruralis), 180+
SANDERS, WILLIAM B. [Review of:] HOCK, B. The Mycota. Volume IX: Fungal Associations, 502+
SANTESSON, ROLF. *See* LÜCKING, ROBERT, 57+
Sarcogyne regularis, 31
Satterthwaite's approximation, 236
Schistidium apocarpum, 262+; spp., 263; tenerum, 262+
SCHOFIELD, WILFRED B. *See* TALBOT, STEPHEN S., 111+*m
SCHUSTER, RUDOLPH M. Austral Hepaticae Part I [review], 505+
Scoliciosporum sp., 51
SCOTT, KELSI M. and BARBARA CRANDALL-STOTLER. RAPD Polymorphism as an Indicator of Population Structure, Breeding System, and Speciation in Fossombronia, 225+
SEAWARD, MARK R. D. Great Discoveries in Bryology and Lichenology. William Borrer (1781–1862), Father of British Lichenology, 70+
SEAWARD, MARK R. D., ANDRÉ APTROOT, and FRANCIS A. HARRINGTON. The Lichens of Aldabra, with Comments on Their Distribution, 473+
Seed germination, 249+
Selfing (Fossombronia), 229+
Sematophyllum amoenum, 24; contiguum, 24
Semi-arid areas (Trapeliopsis), 78
Sex expression (mosses), 205+
Sex ratios in extreme environments (mosses), 212+
Sexual condition (Pleuridium spp.), 259
Sexual reproduction effort (mosses), 215
Shade (seedling germination and establishment), 251+
SHANNON, ROBYNN K. *See* BERNARD GOFFINET, 349+
SHAW, A. JONATHAN, STUART F. MCDANIEL, OLAF WERNER, and ROSA M. ROS. New Frontiers in Bryology and Lichenology: Phylogeography and Phylodemography, 373+
SHEARD, JOHN W. and HELMUT MAYRHOFER. New Species of Rinodina (Physciaceae, Lichenized Ascomycetes) From Western North America, 645+
Shumagin Islands, Alaska (lichens), 111+*m
Sierra Nevada, California (Grimmia nevadense), 273
Silene vulgaris, 252
Simeonof Island, Alaska (lichens), 111+*m
Simeonof Wilderness, Alaska (lichens), 111+*m
Single founder events (Fossombronia foveolata), 230
SLACK, NANCY G. [Review of:] DIERßEN, KLAUS. Distribution, Ecological Amplitude, and Phytosociological Characterization of European Bryophytes, 503+
Sloania australis (bryophytes and lichens), 17
Smith, James, 72
SO, MAY LING. *See* ZHU, RUI-LIANG, 431+
SOCHTING, ULRIK. *See* KÄRNEFELT, INGVAR, 301+
Soil (Trapeliopsis), 78+
Soils (Simeonof Wilderness), 112
Solorina crocea, 31
Sorediate lichen (Hypogymnia), 470+
Southern Hemisphere (Caloplaca), 301+
Sowerby, James, 72
Sowing trials (vascular species), 250+
Sphaerophorin (Rinodina), 654
Spathulenol, 364+
Spathulenol (Plagiochila), 191+
Species assemblages, 12+
Species richness, 345+
Species richness (bryophyte and lichen), 12+

Species richness (liverworts, mosses, and lichens on conifers in Queen Charlotte Islands, Canada), 451+
Sphaerolejeunea umbilicata, 422+*
Sphaerophorus globosus, 113
Sphagnum capillifolium, 97+; fallax, 97+; fuscum, 97+; magellanicum, 97+
Sphagnum innovations (color), 100
Spiloma decolorans, 73
Spore dispersal (mosses), 205+
Sporledera laxifolia, *256*
Sporophyte abortion (moss phenology), 208+
Sporophyte formation (mosses), 205+
Sporophyte maturation patterns (moss phenology), 206+
Sporopodiopsis, 59+
Sporopodium, 59+; **podosphaera sp. nov.,** 60+*; tayabasense, *58+*; tayabasense var. lividescens, *58+*; xantholeucum, 61
Spruce, Richard, 72
ST. CLAIR, LARRY L. *See* ST. CLAIR, SAMUEL B., 415+
ST. CLAIR, SAMUEL B., LARRY L. ST. CLAIR, DARRELL J. WEBER, NOLAN F. MANGELSON, and DENNIS L. EGGETT. Element Accumulation Patterns in Foliose and Fruticose Lichens from Rock and Bark Substrates in Arizona, 415+
STARK, LLOYD R. New Frontiers in Bryology and Lichenology. Phenology and its Repercussions on the Reproductive Ecology of Mosses, 204+
Staurothele fissa, 31
Stereocaulon paschale, 119; spp., 31
Stereodon adscendens, 325+
Stereophyllum radiculosum, 312+
Sticta arctica, 119; weigelii, 119
STMatrix 2.1 (Pseudocyphellaria), 2
STOTLER, RAYMOND E., C. HEATHER FORD, and BARBARA J. CRANDALL-STOTLER. Typifications in the Genus Petalophyllum (Marchantiophyta), 400+
Streambanks (Fissidens hyalinus), 43+
Stress aldehyde ALDHs, 182
Struckia, 326; zerovii, 313+
Substrate and environmental stress, 250+
Substrate (seed retention), 250+
Substrate variability, 11+
SUN, JUN. *See* GAO, CHIEN, 693+
Supplement to British Flora, 72
Sväty Jur (Slovakia), 243+
Syrrhopodon armatus, 24
Szczawinskia sp., 51

TALBOT, SANDRA LOOMAN. *See* TALBOT, STEPHEN S., 111+*m
TALBOT, STEPHEN S., SANDRA LOOMAN TALBOT, JOHN W. THOMSON, FRED J. A. DANIËLS, and WILFRED B. SCHOFIELD. Lichens from Simeonof Wilderness, Shumagin Islands, Southwestern Alaska, 111+*m
Tallis, J. (moss phenology), 206
Tapellaria, 59+
Tapellariopsis, 59
Taxiphyllum deplanatum, 313+; taxirameum, 313+; wissgrillii, 313+
TCHABANENKO, SVETLANA. *See* MCCUNE, BRUCE, 507
Telaranea centipes, 24; dispar, 24
Teichophila–type spore development, 649*
Teloschistaceae (Caloplaca), 301+
Teloschistin (Caloplaca), 304
Tephromela, 67
Termite structures, 185+
Terpenoids (Pseudocyphellaria), 7
Terpenoids (Pyxine spp.), 271
Terpinolene, 364+
Terpinolene (Plagiochila), 191+
Thallus thickness (Parmelia sulcata), 104+
Thamnobryum sp. A, 24
Thamnolia subuliformis, 31, 119; vermicularis, 31, 119
Thin-layer chromatography (Trapeliopsis), 78+
THOMAS, ROBERT J., TRAVIS G. WOODWARD, and HARRY A. ROGOFF. Growth Asymmetry and Auxin Transport in Setae of Gravistimulated Pellia epiphylla Sporophytes, 407+
THOMSON, JOHN W. *See* TALBOT, STEPHEN S., 111+*m
Thuidium delicatulum, 312+
Thuidium sparsum var. sparsum, 25
Thysanothecium scutellatum, 26
TIBELL, LEIF and ANNA KOFFMAN. Chaenotheca nitidula, A New Species of Calicioid Lichen from Northeastern North America, 353+
TIMDAL, EINAR. Three Squamulose Species of Rimularia (Lecanorales), 219+
Tissue nutrients analysis (Jungermannia exsertifolia subsp. cordifolia), 88
Tolerance to PO_4^{3-} (aquatic bryophytes), 93
Toninia candida, 31
TØNSBERG, TOR. Additions to the Lichen Flora of North America XI, 122+
Tortula muralis, 24; ruralis, 177+; cyanescens, *411+**
Toxicity of phosphorus (Jungermannia exsertifolia subsp. cordifolia), 91+
Trachythecium verrucosum, 312+
Transplant breakage (Usnea longissima), 236+
Transplant construction (Usnea longissima), 234*
Transplant growth rates (Usnea longissima), 234+
Trapelia, 81
Trapeliopsis, 78+; **bisorediata sp. nov.,** 79+*m; **californica sp. nov.,** 79+*m; californica-steppica group, 84; flexuosa, 79; granulosa, 79; sp., 78; **steppica sp. nov.,** 79+*m; wallrothii, 78+; wallrothii s. str., 83
Trapeliopsis clade, 78+
Tree branches, lower (lichens), 49+
TreeVIEW (Plagiochila spp.), 191+
Tribute (William Dean Reese), 625+
Trichocolea mollissima, 24
Trichodon cylindricus, 258
Trichostomum bifidum, *532*; leucoloma, *557*
Tuckermannopsis chlorophylla, 40
Turgor-responsive ALDHs, 178+
Turner, Dawson, 72+
Type material (Plagiothecium), 641+
Typifications (Petalophyllum), 400+

Umbilicaria hyperborea, 31; kraschenninikovii, 31
Understories (Usnea longissima transplants), 237+
United States (Fissidens hyalinus), 43+m
United States (Pseudephemerum), 256+
United States, eastern (Pyxine subcinerea), 270+m
Unknown compound C-1 (Rimularia michoacanensis), 221
Unknown sp. A, 25
Unknown sp. B, 25
Unknown sp. C, 25
Unknown sp. D, 25
Usnea, 31; amblyoclada, 415+; filipendula, 50+; glabrescens, 50+; hirta, 415+; longissima, 233+*m; spp., 26; subfloridana, 50+; substerilis, 31*
Usnea longissima (growth rates), 234+
Usnic acid (Lecanora ramulicola), 63+
UV-C exposure and gene expression (Tortula ruralis), 180+

Vainio, 243
VANDERPOORTEN, ALAIN and CHARLES E. ZARTMAN. The Bryum bicolor complex in North America, 128+*m

VANDERPOORTEN, ALAIN. [Review of:] KOPERSKI, MONIKA, MICHAEL SAUER, WALTHER BRAUN, and S. ROB GRADSTEIN. Referenzliste der Moose Deutschlands (Schriftenreihe fur Vegetationskunde, Heft 34), 162+
Variolaria griseovirens, 73; vitilago, 73
Vascular vegetation establishment (iron mine tailings), 249+
Vegetative growth timing (mosses), 205+
Verrucaria acrotella, 31; elaeina, 73
Verrucariaceae (Henrica), 398+
Virtual floras (lichens), 635+
Vitalianthus, 267+; bischleriana, 267+; **urubuensis sp. nov.**, 267+*
Vulpicida pinastri, 51

Walkeria, *523*
WEBER, DARRELL J. *See* ST. CLAIR, SAMUEL B., 415+
Weissia controversa, 24; rutilans, 24
WERNER, OLAF. *See* SHAW, A. JONATHAN, 373+
Wernerian Natural History Society, 70
WETMORE, CLIFFORD M. *See* EVERSMAN, SHARON, 27+*m
Wijkea extenuata, 25
Wind-dispersed peat, 96+
Woessia, 59
WOOD, ANDREW J. *See* CHEN, XINBO, 177+
WOODWARD, TRAVIS G. *See* THOMAS, ROBERT J., 407+

Xanthones (Biatora printzenii), 123
Xanthoparmelia chlorochroa, 31; coloradoensis, 31; mougeotina, 15+; wyomingica, 31
Xanthoria elegans, 31; fulva, 31; sorediata, 31; spp., 39
XING-JIANG, LI, MARSHALL R. CROSBY, and SI HE. Moss Flora of China, English Version, Volume 2. Fissidentaceae—Ptychomitriaceae [review], 731

Year of sampling (algal layer ratio), 104+
Yellowstone National Park (lichens), 27+*m
YIP, KWOK LEUNG. Lectotypification of Pleuridium subulatum and P. acuminatum, 259+
YIP, KWOK LEUNG. Pseudephemerum, New to the United States and Mexico, 256+

Zahlbruckner, Alexander (1860–1938), 243+*
Zahlbruckner, Johann Babtist (1782–1850), 243
Zahlbruckners system, 244
ZARTMAN, CHARLES E. *See* VANDERPOORTEN, ALAIN, 128+*m
ZARTMAN, CHARLES EUGENE and ILSE LIEVE ACKERMAN. A New Species of Vitalianthus (Lejeuneaceae, Hepaticae) from the Brazilian Amazon, 267+
ZENG, QIN. *See* CHEN, XINBO, 177+
Zeorin (Rinodina), 663+
ZHU, RUI-LIANG and MAY LING SO. Epiphyllous Liverworts of China [review], 728
ZHU, RUI-LIANG and MAY LING SO. Reappraisal of Cololejeunea angustiflora, C. ciliata, C. flavicans, C. javanica, and C. mackeeana (Hepaticae, Lejeuneaceae), 431+
ZHURBENKO, MIKHAIL. *See* JØRGENSEN, PER M., 465+
Zoopsis argentea, 24
Zygodon intermedius, 25